

# Airplane Aerodynamics & Performance

## Table of Contents

Symbols and acronyms

Introduction

1. THE ATMOSPHERE
  - 1.1 ATMOSPHERIC FUNDAMENTALS
  - 1.2 THE INTERNATIONAL STANDARD ATMOSPHERE
    - 1.2.1 Temperature Variation with Altitude
    - 1.2.2 Pressure and Density Variation with Altitude
    - 1.2.3 Barometric Altimeters
    - 1.2.4 Viscosity
  - 1.3 SUMMARY FOR CHAPTER 1
  - 1.4 PROBLEMS FOR CHAPTER 1
  - 1.5 REFERENCES FOR CHAPTER 1
2. BASIC AERODYNAMIC PRINCIPLES AND APPLICATIONS
  - 2.1 THE CONTINUITY EQUATION
  - 2.2 THE INCOMPRESSIBLE BERNOULLI EQUATION
  - 2.3 COMPRESSIBILITY EFFECTS
    - 2.3.1 The Isentropic Equation of State
    - 2.3.2 The Speed of Sound
  - 2.4 THE COMPRESSIBLE BERNOULLI EQUATION
  - 2.5 MEASUREMENT OF AIRSPEED
    - 2.5.1 Low-Speed Airspeed Indicators (Incompressible Flow)
    - 2.5.2 High-Speed Airspeed Indicators (Compressible Flow)
    - 2.5.3 Airspeed Corrections
  - 2.6 THE KUTTA-JOUKOWSKI THEOREM
  - 2.7 THE LINEAR MOMENTUM PRINCIPLE
  - 2.8 VISCOUS EFFECTS, THE BOUNDARY LAYER AND FLOW SEPARATION
    - 2.8.1 The Laminar Boundary Layer
    - 2.8.2 The Turbulent Boundary Layer
    - 2.8.3 Flow Separation
  - 2.9 SUMMARY FOR CHAPTER 2
    - 2.9.1 The Continuity Equation
    - 2.9.2 The Bernoulli Equation
    - 2.9.3 The Kutta-Joukowski Theorem
    - 2.9.4 The Linear Momentum Principle
    - 2.9.5 Viscous Effects
  - 2.10 PROBLEMS FOR CHAPTER 2
  - 2.11 REFERENCES FOR CHAPTER 2
3. AIRFOIL THEORY
  - 3.1 AIRFOIL GEOMETRY
  - 3.2 AERODYNAMIC FORCES AND MOMENTS ON AN AIRFOIL
  - 3.3 IMPORTANT AIRFOIL CHARACTERISTICS
    - 3.3.1 Lift Curve
    - 3.3.2 Drag Polar
    - 3.3.3 Pitching Moment Curve
  - 3.4 AIRFOIL PRESSURE DISTRIBUTION
  - 3.5 COMPRESSIBILITY EFFECTS
  - 3.6 REYNOLDS NUMBER EFFECTS
  - 3.7 DESIGN OF AIRFOILS
  - 3.8 AIRFOIL MAXIMUM LIFT CHARACTERISTICS
    - 3.8.1 Geometric Factors Affecting Airfoil Maximum Lift at Low Speeds
      - 3.8.1.1 Thickness ratio
      - 3.8.1.2 Leading edge radius and leading edge shape
      - 3.8.1.3 Camber and location of maximum thickness
    - 3.8.2 Effect of Reynolds Number on Maximum Lift
    - 3.8.3 Effect of High Lift Devices on Airfoil Maximum Lift

# Airplane Aerodynamics & Performance

## Table of Contents

- 3.8.3.1 Trailing edge flaps
- 3.8.3.2 Leading edge devices
- 3.8.3.3 Boundary layer control
- 3.9 SUMMARY FOR CHAPTER 3
- 3.10 PROBLEMS FOR CHAPTER 3
- 3.11 REFERENCES FOR CHAPTER 3
- 4. WING THEORY
  - 4.1 DEFINITION OF WING PROPERTIES
  - 4.2 CIRCULATION, DOWNWASH, LIFT AND INDUCED DRAG
  - 4.3 EVALUATION OF THE SPAN EFFICIENCY FACTOR,  $e$
  - 4.4 AERODYNAMIC CENTER
  - 4.5 WING STALL
    - 4.5.1 Airfoil Stall Characteristics
    - 4.5.2 Effect of Planform and Twist
      - 4.5.2.1 Taper ratio
      - 4.5.2.2 Aspect ratio
      - 4.5.2.3 Sweep angle
      - 4.5.2.4 Twist
    - 4.5.3 Stall Control Devices
      - 4.5.3.1 Twist or wash-out
      - 4.5.3.2 Variations in section shape
      - 4.5.3.3 Leading edge slats or slots near the tip
      - 4.5.3.4 Stall fences and snags
      - 4.5.3.5 Stall strips
      - 4.5.3.6 Vortex generators
  - 4.6 COMPRESSIBILITY EFFECTS
  - 4.7 HIGH LIFT DEVICES, SPOILERS, DIVE BRAKES, SPEED BRAKES
    - 4.7.1 Lift Induced by Partial Span Flaps Below the Stall
    - 4.7.2 Maximum Lift Coefficient with High Lift Devices
      - 4.7.2.1 Clean wing maximum lift coefficient
      - 4.7.2.2 Maximum lift increment due to high lift devices
      - 4.7.2.3 Examples of maximum lift increment due to high lift devices
    - 4.7.3 The Effect of Trim on Maximum Lift
    - 4.7.4 The Effect of Spoilers, Dive Brakes and Speed Brakes
  - 4.8 SUMMARY FOR CHAPTER 4
  - 4.9 PROBLEMS FOR CHAPTER 4
  - 4.10 REFERENCES FOR CHAPTER 4
- 5. AIRPLANE DRAG
  - 5.1 COMPLETE AIRPLANE DRAG POLARS
    - 5.1.1 Clean Airplane
    - 5.1.2 Effect of Flaps, Speed-Brakes and Landing Gear
  - 5.2 UNDERSTANDING AIRPLANE DRAG CONTRIBUTIONS
    - 5.2.1 Wing Drag Coefficient
      - 5.2.1.1 Wing zero lift drag coefficient
      - 5.2.1.2 Wing drag coefficient due to lift
      - 5.2.1.3 Wing drag coefficient due to compressibility
    - 5.2.2 Fuselage Drag Coefficient
      - 5.2.2.1 Fuselage zero lift drag coefficient
      - 5.2.2.2 Fuselage base drag coefficient
      - 5.2.2.3 Fuselage drag coefficient due to lift
    - 5.2.3 Empennage Drag Coefficient
    - 5.2.4 Nacelle-Pylon Drag Coefficient
    - 5.2.5 Additional Drag Due to Integration Effects
      - 5.2.5.1 Wing planform shape effect on induced drag
      - 5.2.5.2 Wing tip shape effect on induced drag
      - 5.2.5.3 Wing twist effect on induced drag

# Airplane Aerodynamics & Performance

## Table of Contents

- 5.2.5.4 Wing sweep effect on induced drag
- 5.2.5.5 Effect of tandem configurations on induced drag
- 5.2.5.6 Effect of winglets on zero lift and on induced drag
- 5.2.6 Flap Drag Coefficient
- 5.2.7 Landing Gear Drag Coefficient
- 5.2.8 Canopy/Windshield Drag Coefficient
- 5.2.9 Store Drag Coefficient
- 5.2.10 Trim Drag Coefficient
- 5.2.11 Interference Drag Coefficient
- 5.2.12 Miscellaneous Drag Coefficient
- 5.2.13 Drag Component Summary and Typical Examples
- 5.3 DETERMINATION OF DRAG IN THE WIND-TUNNEL
- 5.4 SIMPLIFIED METHOD FOR PREDICTING DRAG POLARS OF CLEAN AIRPLANES
- 5.5 SUMMARY FOR CHAPTER 5
- 5.6 PROBLEMS FOR CHAPTER 5
- 5.7 REFERENCES FOR CHAPTER 5
- 6. AIRPLANE PROPULSION SYSTEMS
  - 6.1 PISTON ENGINES
    - 6.1.1 The Four-Stroke Piston Engine
    - 6.1.2 The Two-Stroke Piston Engine
    - 6.1.3 Geometric Layout of Piston Engines
    - 6.1.4 Power Output and Fuel Efficiency of Piston Engines
    - 6.1.5 Factors Affecting the Power Output of Piston Engines
    - 6.1.6 Performance Charts for Piston Engines
    - 6.1.7 Cooling and Installation of Piston Engines
    - 6.1.8 Scaling Laws for Piston Engines
  - 6.2 JET ENGINES
    - 6.2.1 Basic Operation of Turbojets
    - 6.2.2 Characteristics of By-pass Engines and Turbofans
    - 6.2.3 Operational Characteristics of Turboprops
    - 6.2.4 Typical Mechanical Arrangements of Turbojets, Turbofans and Turboprops
    - 6.2.5 Thrust, Power and Fuel Consumption of Gas Turbine Engines
    - 6.2.6 Cooling Considerations for Turbine Engine Installations
    - 6.2.7 Noise Considerations for Gas Turbine Engines
    - 6.2.8 Thrust Reversal for Turbine Engines
    - 6.2.9 Scaling Laws for Turbine Engines
    - 6.2.10 Pulse Jets
    - 6.2.11 Ram Jets
  - 6.3 ROCKET ENGINES
  - 6.4 ELECTRIC MOTORS
  - 6.5 SUMMARY FOR CHAPTER 6
  - 6.6 PROBLEMS FOR CHAPTER 6
  - 6.7 REFERENCES FOR CHAPTER 6
- 7. PROPELLER THEORY AND APPLICATIONS
  - 7.1 MOMENTUM THEORY
    - 7.1.1 Incompressible Theory for Positive Propeller Thrust
    - 7.1.2 Incompressible Theory for Negative Propeller Thrust
    - 7.1.3 Compressible Theory for Positive Propeller Thrust
  - 7.2 SIMPLE BLADE-ELEMENT THEORY
  - 7.3 COMBINED BLADE-ELEMENT THEORY AND MOMENTUM THEORY
  - 7.4 ANALYSIS OF PROPELLER POWER LOSSES
    - 7.4.1 Axial and Rotational Momentum Losses
    - 7.4.2 Measured Losses and Some Interpretations
  - 7.5 FACTORS AFFECTING PROPELLER PERFORMANCE
    - 7.5.1 Propeller Blade Angle
    - 7.5.2 Propeller Blade Geometry

# Airplane Aerodynamics & Performance

## Table of Contents

- 7.5.3 Propeller Blade Loading
- 7.5.4 Propeller Shank Form
- 7.5.5 Compressibility Effects
- 7.5.6 Blockage, Scrubbing, Compressibility and Installation Effects on Propeller Efficiency
  - 7.5.6.1 Blockage effects
  - 7.5.6.2 Scrubbing drag effects
  - 7.5.6.3 Compressibility effects
- 7.5.7 Free Propeller Efficiency and Installed Propeller Efficiency for Tractors and Pushers
- 7.6 PREDICTION OF PROPELLER PERFORMANCE
  - 7.6.1 Prediction of Static Thrust
  - 7.6.2 Prediction of In-Flight Thrust and Power
  - 7.6.3 Prediction of Negative Thrust
    - 7.6.3.1 Prediction of negative thrust or propeller thrust reversing
    - 7.6.3.2 Prediction of drag on stopped engines
  - 7.6.4 Prop-Fans and Ducted Propellers
    - 7.6.4.1 Prop-fans
    - 7.6.4.2 Ducted propellers
- 7.7 PROPELLER NOISE
  - 7.7.1 Sources and Characteristics of Propeller Noise
  - 7.7.2 Prediction Procedure for Propeller Noise
    - 7.7.2.1 Far-field noise
    - 7.7.2.2 Near-field noise
- 7.8 PROPELLER SELECTION
  - 7.8.1 Introduction to Propeller Selection
  - 7.8.2 Propeller Design Variables to be Selected
- 7.9 SUMMARY FOR CHAPTER 7
- 7.10 PROBLEMS FOR CHAPTER 7
- 7.11 REFERENCES FOR CHAPTER 7
- 8. FUNDAMENTALS OF FLIGHT PERFORMANCE
  - 8.1 DEFINITION OF ANGLES AND AXIS SYSTEMS
  - 8.2 STEADY, UN-POWERED FLIGHT
    - 8.2.1 Equations and Definitions
    - 8.2.2 Glide Angle, Rate-of-Descent and Speed
    - 8.2.3 Speed Polar or Hodograph
    - 8.2.4 Effect of Altitude, Weight and Wind
      - 8.2.4.1 Effect of altitude
      - 8.2.4.2 Effect of weight
      - 8.2.4.3 Speed polar in generalized coordinates and application in flight testing
      - 8.2.4.4 Effect of wind
    - 8.2.5 Unpowered Glide at High Speed
  - 8.3 STEADY, POWERED FLIGHT
  - 8.4 STEADY, LEVEL, POWERED FLIGHT
    - 8.4.1 Turbojet or Turbofan Driven Airplanes
    - 8.4.2 Propeller Driven Airplanes
  - 8.5 SUMMARY FOR CHAPTER 8
  - 8.6 PROBLEMS FOR CHAPTER 8
  - 8.7 REFERENCES FOR CHAPTER 8
- 9. CLIMB AND DRIFT-DOWN PERFORMANCE
  - 9.1 EQUATIONS OF MOTION
  - 9.2 CLIMB AND DRIFT-DOWN PERFORMANCE OF JET AIRPLANES
    - 9.2.1 Climb Performance for Jet Airplanes
      - 9.2.1.1 The general case
      - 9.2.1.2 The case of parabolic drag and constant thrust
    - 9.2.2 Climb Performance for Jet Airplanes at Steep Angles
    - 9.2.3 Drift-Down Performance for Jet Airplanes
  - 9.3 CLIMB AND DRIFT-DOWN PERFORMANCE OF PROPELLER DRIVEN AIRPLANES

# Airplane Aerodynamics & Performance

## Table of Contents

- 9.3.1 Climb Performance for Propeller Driven Airplanes
  - 9.3.1.1 The general case
  - 9.3.1.2 The case of parabolic drag and constant power
- 9.3.2 Climb Performance for Propeller Driven Airplanes at Steep Angles
- 9.3.3 Drift-Down Performance for Propeller Driven Airplanes
- 9.4 METHODS FOR PREDICTING TIME-TO-CLIMB, TIME-TO-DRIFT-DOWN, AEO CEILINGS AND OEI CEILINGS
  - 9.4.1 Method for Predicting Time-to-Climb Performance
  - 9.4.2 Method for Predicting Time-to-Drift-Down Performance
  - 9.4.3 Method for Predicting AEO and OEI Ceilings
- 9.5 EFFECT OF FORWARD AND VERTICAL ACCELERATIONS ON CLIMB PERFORMANCE
  - 9.5.1 Effect of Forward Acceleration
    - 9.5.1.1 Climb at constant equivalent airspeed
    - 9.5.1.2 Climb at constant Mach number
  - 9.5.2 Effect of Vertical Acceleration
- 9.6 EFFECT OF LANDING GEAR, FLAPS, STOPPED ENGINES, TRIM REQUIREMENTS, WEIGHT AND ALTITUDE ON CLIMB PERFORMANCE
  - 9.6.1 Effect of Landing Gear and Flaps on Climb Performance
  - 9.6.2 Effect of Stopped Engines and Trim on Climb Performance
  - 9.6.3 Effect of Weight and Altitude on Climb Performance
- 9.7 CLIMB PERFORMANCE REGULATIONS
- 9.8 SUMMARY FOR CHAPTER 9
- 9.9 PROBLEMS FOR CHAPTER 9
- 9.10 REFERENCES FOR CHAPTER 9
- 10. TAKE-OFF AND LANDING
  - 10.1 THE TAKE-OFF PROCESS
    - 10.1.1 Commercial Take-off Rules
    - 10.1.2 Military Take-off Rules
  - 10.2 EQUATIONS OF MOTION DURING TAKE-OFF
    - 10.2.1 Equations of Motion During the Take-off Ground Roll
      - 10.2.1.1 Effect of wind on take-off
      - 10.2.1.2 Effect of speed on take-off thrust
      - 10.2.1.3 Effect of the ground on lift and drag
      - 10.2.1.4 Effect of thrust deflection on take-off
    - 10.2.2 Equations of Motion During the Take-off Transition
    - 10.2.3 Equations of Motion During the Climb-out to the Obstacle
  - 10.3 PREDICTION OF THE TAKE-OFF DISTANCE
    - 10.3.1 Accurate Method for Predicting the Take-off Distance
      - 10.3.1.1 Ground distance (accurate method)
      - 10.3.1.2 Transition distance (accurate method)
      - 10.3.1.3 Climb distance (accurate method)
    - 10.3.2 Statistical Method for Predicting the Take-off Distance
      - 10.3.2.1 Statistical method for predicting the take-off distance of propeller driven, FAR 23 airplanes
      - 10.3.2.2 Statistical method for predicting the take-off distance of jet driven, FAR 25 airplanes
    - 10.3.3 Approximate, Analytical Method for Predicting the Take-off Distance and the Time to Take-off
      - 10.3.3.1 Approximate method for calculating the ground distance component
      - 10.3.3.2 Approximate method for calculating the ground distance component
      - 10.3.3.3 Approximate method for calculating the air distance component
      - 10.3.3.4 Approximate method for calculating the air distance component
      - 10.3.3.5 Alternate method for calculating the total ground distance
      - 10.3.3.6 Method for calculating the time required to take-off
    - 10.3.4 Approximate, Analytical Method for Predicting the Balanced Fieldlength
    - 10.3.5 Presentation of Take-off Performance Data
  - 10.4 THE LANDING PROCESS
    - 10.4.1 Commercial Landing Rules
    - 10.4.2 Military Landing Rules

# Airplane Aerodynamics & Performance

## Table of Contents

- 10.5 EQUATIONS OF MOTION DURING LANDING
  - 10.5.1 Equations of Motion During the Landing Approach and the Descent from the Obstacle
  - 10.5.2 Equations of Motion During the Landing Transition
  - 10.5.3 Equations of Motion During the Landing Ground Roll
- 10.6 PREDICTION OF THE LANDING DISTANCE
  - 10.6.1 Accurate Method for Predicting the Landing Distance
    - 10.6.1.1 Air distance covered during descent from the obstacle (accurate method)
    - 10.6.1.2 Air distance covered during the transition or flare (accurate method)
    - 10.6.1.3 Ground distance covered with the nose-gear off the ground (accurate method)
    - 10.6.1.4 Ground distance covered with the nose-gear on the ground (accurate method)
  - 10.6.2 Statistical Method for Predicting the Landing Distance
    - 10.6.2.1 Statistical method for predicting the landing distance of propeller driven, FAR 23 airplanes
    - 10.6.2.2 Statistical method for predicting the landing distance of jet driven, FAR 25 airplanes
  - 10.6.3 Approximate, Analytical Method for Predicting the Landing Distance and the Time to Land
    - 10.6.3.1 Approximate method for calculating the air distance component
    - 10.6.3.2 Approximate method for calculating the ground distance component
    - 10.6.3.3 Approximate method for calculating the ground distance component
    - 10.6.3.4 Method for calculating the time required to land,  $t_L$
  - 10.6.4 Presentation of Landing Distance Data
- 10.7 SUMMARY FOR CHAPTER 10
- 10.8 PROBLEMS FOR CHAPTER 10
- 10.9 REFERENCES FOR CHAPTER 10
- 11. RANGE, ENDURANCE AND PAYLOAD-RANGE
  - 11.1 PROPELLER DRIVEN AIRPLANES
    - 11.1.1 Breguet Equations for Range and Endurance
    - 11.1.2 Maximum Range and Endurance for Parabolic Drag Polars
      - 11.1.2.1 Maximum range for parabolic drag polars
      - 11.1.2.2 Sizing the wing for maximum range
      - 11.1.2.3 Effect of wind on maximum range
      - 11.1.2.4 Maximum endurance for parabolic drag polars
      - 11.1.2.5 Sizing the wing for maximum endurance
      - 11.1.2.6 Numerical example of a composite plot of  $C_D$ ,  $C_L/C_D$  and  $C_L^3/C_D^2$  versus  $C_L$
    - 11.1.3 Applications of the Range and Endurance Equations to a Propeller Driven Airplane With a Parabolic Drag Polar
    - 11.1.4 Maximum Range and Endurance for Airplanes With Non-parabolic Drag Polars Including the Effect of Wind
    - 11.1.5 Accurate Determination of Range and Endurance by Numerical Integration of Specific Range and Endurance
      - 11.1.5.1 Step-by-step procedure for determining range
      - 11.1.5.2 Step-by-step procedure for determining endurance (loiter)
  - 11.2 JET AIRPLANES
    - 11.2.1 Breguet Equations for Range and Endurance
      - 11.2.1.1 Constant altitude cruise and endurance
      - 11.2.1.2 Constant speed cruise and endurance
    - 11.2.2 Maximum Range and Endurance for Parabolic Drag Polars
      - 11.2.2.1 Maximum range for parabolic drag polars (constant altitude)
      - 11.2.2.2 Maximum range for parabolic drag polars (constant Mach number)
      - 11.2.2.3 Sizing the wing for maximum range
      - 11.2.2.4 Effect of wind on maximum range
      - 11.2.2.5 Maximum range for parabolic drag polars (constant Mach number)
      - 11.2.2.6 Sizing the wing for maximum endurance
      - 11.2.2.7 Numerical example of a composite plot of  $C_D$ ,  $C_L/C_D$  and Root  $C_L/C_D$  versus  $C_L$
    - 11.2.3 Applications of the Range and Endurance Equations to a Jet Transport Airplane With a Parabolic Drag Polar
    - 11.2.4 Accurate Determination of Range and Endurance for Jet Airplanes With Non-parabolic Drag Polars by Use of Specific Range and Endurance

# Airplane Aerodynamics & Performance

## Table of Contents

- 11.2.4.1 Step-by-step procedure for determining range
- 11.2.4.2 Step-by-step procedure for determining endurance (loiter)
- 11.2.4.3 Suggested procedure to account for the effect of altitude, temperature and wind on range and endurance
- 11.3 THE PAYLOAD-RANGE DIAGRAM AND METHODS FOR PRESENTING USEFUL PAYLOAD-RANGE DATA
  - 11.3.1 The Payload-Range Diagram
  - 11.3.2 Method for Presenting Payload-Range Data to Account for Fieldlength Capability
- 11.4 REGULATIONS FOR RANGE AND ENDURANCE FUEL RESERVES
  - 11.4.1 Summary of FAR Parts 121 and 135 Requirements for Fuel Reserves
  - 11.4.2 Summary of Military Requirements for Fuel Reserves
- 11.5 SIZING OF WEIGHT AND ENDURANCE OF AIRPLANES TO GIVEN MISSION PAYLOAD, RANGE REQUIREMENTS
  - 11.5.1 Determination of the Regression Coefficients A and B With Numerical Examples
  - 11.5.2 Methods for Determining the Weight Fractions in Eqn (11.88)
  - 11.5.3 Three Solutions for Eqn (11.86)
  - 11.5.4 Example Application of Airplane Weight Sizing
- 11.6 SUMMARY FOR CHAPTER 11
- 11.7 PROBLEMS FOR CHAPTER 11
- 11.8 REFERENCES FOR CHAPTER 11
- 12. MANEUVERING AND THE FLIGHT ENVELOPE
  - 12.1 STALL SPEEDS AND MINIMUM SPEEDS
  - 12.2 BUFFET LIMITS
  - 12.3 LEVEL FLIGHT MAXIMUM SPEEDS AND CEILINGS
    - 12.3.1 Level Flight Maximum Speeds
    - 12.3.2 Level Flight Ceilings
  - 12.4 THE V-N DIAGRAM
    - 12.4.1 FAR 23
      - 12.4.1.1 The 1-g stall speed
      - 12.4.1.2 The design maneuvering speed
      - 12.4.1.3 The design cruising speed
      - 12.4.1.4 The design diving speed
      - 12.4.1.5 The negative 1-g stall speed
      - 12.4.1.6 The design limit load factors
      - 12.4.1.7 The gust load load factor lines in Figure 12.12
    - 12.4.2 FAR 25
      - 12.4.2.1 The 1-g stall speed
      - 12.4.2.2 The design maneuvering speed
      - 12.4.2.3 The design speed for maximum gust intensity
      - 12.4.2.4 The design cruising speed
      - 12.4.2.5 The design diving speed
      - 12.4.2.6 The negative 1-g stall speed
      - 12.4.2.7 The design limit load factors
      - 12.4.2.8 The gust load load factor lines in Figure 12.14
    - 12.4.3 Military Airplanes
  - 12.5 SYMMETRICAL PULL-UP: INSTANTANEOUS AND SUSTAINED
    - 12.5.1 Instantaneous Pull-up
    - 12.5.2 Sustained Pull-up
  - 12.6 STEADY, LEVEL AND COORDINATED TURNS: INSTANTANEOUS AND SUSTAINED
    - 12.6.1 Instantaneous Turn
    - 12.6.2 Sustained Turn
  - 12.7 SPIN
  - 12.8 ACCELERATED FLIGHT PERFORMANCE
    - 12.8.1 Application of Energy-State Approximation to Accelerated Flight Performance
    - 12.8.2 Energy Maneuverability
  - 12.9 SUMMARY FOR CHAPTER 12

# Airplane Aerodynamics & Performance

## Table of Contents

- 12.10 PROBLEMS FOR CHAPTER 12
- 12.11 REFERENCES FOR CHAPTER 12
- APPENDIX A: PROPERTIES OF THE U.S. STANDARD ATMOSPHERE
  - TABLE A1 U.S. STANDARD ATMOSPHERE IN ENGLISH UNITS
  - TABLE A2 U.S. STANDARD ATMOSPHERE IN METRIC UNITS
  - TABLE A3 CONVERSION FACTORS
- APPENDIX B: ADVANCED AIRCRAFT DESIGN AND ANALYSIS SOFTWARE
  - TABLE B1 AAA: ADVANCED AIRCRAFT ANALYSIS
    - B1.1 General Capabilities of the AAA Program
    - B1.2 Brief Description of AAA Program Modules
      - B1.2.1 Weight sizing module
      - B1.2.2 Performance sizing module
      - B1.2.3 Geometry module
      - B1.2.4 High Lift Module
      - B1.2.5 Drag polar module
      - B1.2.6 Stability and control module
      - B1.2.7 Weight and balance module
      - B1.2.8 Installed thrust module
      - B1.2.9 Performance analysis module
      - B1.2.10 Stability and control derivatives module
      - B1.2.11 Dynamics module
      - B1.2.12 Control module
      - B1.2.13 Cost analysis module
      - B1.2.14 Database module
      - B1.2.15 Help/setup module
  - TABLE B2 G.A.-CAD: GENERAL AVIATION COMPUTER AIDED DESIGN
  - TABLE B3 OTHER SOFTWARE PACKAGES
  - TABLE B4 REFERENCES
- APPENDIX C: PROPELLER PERFORMANCE CHARTS
- APPENDIX D: PROPELLER NOISE CHARTS
- INDEX